NOROO

물질안전보건자료 (MSDS)

MSDS 번호: AA01367-3000052938

APD-2080D (R)

Date of issue: 2026-01-30 Revision date: 2026-01-30 Version: 1.1

1. 화학제품과 회사에 관한 정보

가. 제품명

- APD-2080D (R)

나. 제품의 권고 용도와 사용상의 제한

- 용도 : 접착제 및 실런트
- 사용상의 제한 : 권고 용도 이외 사용을 금함

다. 제조자/공급자/유통업자 정보

- 회사명 : 노루페인트
- 주소 : 경기도 안양시 만안구 박달로 351
- 전화번호 : 031-467-6114
- 긴급 전화번호 : 031-467-6114

2. 유해성·위험성

가. 유해성·위험성 분류

- 피부 부식성/피부 자극성 : 구분1
- 심한 눈 손상성/눈 자극성 : 구분1
- 피부 과민성 : 구분1
- 만성 수생환경 유해성 : 구분3

나. 예방조치 문구를 포함한 경고 표지 항목

○ 그림문자



○ 신호어

- 위험

○ 유해·위험 문구

- H314 피부에 심한 화상과 눈에 손상을 일으킴
- H317 알레르기성 피부 반응을 일으킬 수 있음
- H318 눈에 심한 손상을 일으킴
- H412 장기적인 영향에 의해 수생생물에게 유해함

○ 예방조치문구

1) 예방

- P260 가스/미스트/증기/스프레이를(을) 흡입하지 마시오.
- P261 가스/미스트/증기/스프레이의 흡입을 피하시오.
- P264 취급 후에는 취급부위를 철저히 씻으시오.

- P272 작업장 밖으로 오염된 의류를 반출하지 마시오.

- P273 환경으로 배출하지 마시오.

- P280 보호장갑·보호의·보안경·안면보호구를(을) 착용하시오.

2) 대응

- P301+P330+P331 삼켰다면 입을 씻어내시오. 토하게 하지 마시오.

- P302+P352 피부에 묻으면: 다량의 물로 씻으시오.

- P303+P361+P353 피부(또는 머리카락)에 묻으면: 오염된 모든 의류를 즉시 벗으시오. 피부를 물로 씻으시오/샤워하시오.

- P304+P340 흡입하면: 신선한 공기가 있는 곳으로 옮기고 호흡하기 쉬운 자세로 안정을 취하시오.

- P305+P351+P338 눈에 묻으면: 몇 분간 물로 조심해서 씻으시오. 가능하면 콘택트렌즈를 제거하시오. 계속 씻으시오.

- P310 즉시 의료기관/의사의 진찰을 받으시오.

- P321 응급처치(눈에 들어갔을 때는 다량의 흐르는 물로 세척, 피부에 접촉했을 때는 다량의 흐르는 물로 세척, 흡입했을 때 신선한 공기로 이동, 먹었을 때 구토를 유발할지에 대하여 의료진의 조언을 구함)를 하시오.

- P333+P313 피부 자극 또는 홍반이 나타나면: 의학적인 조치/조언을 받으시오.

- P362 오염된 의류를 벗으시오.

- P362+P364 오염된 의류를 벗고 다시 사용 전 세척하시오.

- P363 다시 사용전 오염된 의류를 세척하시오.

3) 저장

- P405 잠금장치를 하여 저장하시오.

4) 폐기

- P501 폐기물 관련 법령에 따라 내용물/용기를 폐기하시오.

다. 유해성·위험성 분류기준에 포함되지 않는 기타 유해성·위험성

- 자료없음

3. 구성성분의 명칭 및 함유량

화학물질명	관용명 및 이명	CAS 번호 또는 식별번호	함유량(%)
α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimet	Poly[oxy(dimethylsilylene)],a-[dimethyl[3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl]silyl]-w-[[dimethyl[3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl]silyl]oxy]-	58130-03-3 / 2010-3-4257	90 ~ 99
2-프로펜산 1,6-헥세인다이일	2-프로펜산, 1,1'-(1,6-헥산다이일) 에스터 ; 헥사메틸렌 다이아크릴레이트 ; 다이아크릴레이트, 헥세인-1,6-다이일 ; 1,6-헥사메틸렌 다이아크릴레이트 ; 1,6-헥사메틸렌다이올 다이아크릴레이트 ; 1,6-헥산다이올 다이아크릴레이트 ; 2-프로펜산, 1,6-헥산다이일 에스터 ; 헥사메틸렌글라이콜 다이아크릴레이트 ; 6-프로프-2-엔오일옥시헥실 프로프-2-엔오에이트	13048-33-4 / KE-29558	1~5
이산화 규소	실리카, 무정형, 훈증, 무결정 ; 합성 무정형 실리카, 훈증, 무결정 ; 합성 무정형 실리카 ; 실리케이트	112945-52-5 / KE-30953	1~5

※ 기재되지 않은 구성성분은 GHS 분류기준에 해당되지않거나 한계농도 미만임을 확인합니다.

4. 응급조치 요령

가. 눈에 들어갔을 때

- 눈을 문지르지 마시오.

- 많은 양의 물을 사용하여 적어도 15분 동안 눈을 씻어내시오.

- 즉시 의사의 치료를 받으시오.

- 콘택트렌즈를 착용했을 경우 우선 렌즈를 제거하시오.

나. 피부에 접촉했을 때

- 오염된 의복 및 신발을 벗고 즉시 적어도 15분 동안 비누와 물로 씻어내시오.

- 오염된 피복은 재사용 전에 (충분히) 세탁하시오

- 즉시 의사의 치료를 받으시오.
- 증상(발적, 자극 등)이 발생할 경우 즉시 병원으로 가시오.
- 취급 후 철저히 씻으시오.

다. 흡입했을 때

- 다량의 증기나 미스트에 노출되었을 경우 맑은 공기가 있는 곳으로 이동하시오.
- 필요에 따른 조치를 취하시오.

라. 먹었을 때

- 구토를 유발해야 하는지에 대해서 의사의 조언을 받으시오.
- 즉시 물로 입을 씻어내시오.

마. 기타 의사의 주의사항

- 오염상황을 의료관계자에게 알려 그들도 적절한 보호조치를 취하도록 하시오.

5. 폭발·화재시 대처방법

가. 적절한(및 부적절한) 소화제

- 분말소화제, 이산화탄소, 일반 포말소화제, 물 분무
- 직사주수를 사용한 소화는 피하시오.
- 화재 진압 시 방화복, 소방용 구조헬멧, 소방용 안전화, 소방용 안전장갑, 공기호흡기를 착용하시오.

나. 화학물질로부터 생기는 특정 유해성

- 눈에 심한 손상을 일으킴
- 알레르기성 피부 반응을 일으킬 수 있음
- 장기적인 영향에 의해 수생생물에게 유해함
- 피부에 심한 화상과 눈에 손상을 일으킴
- 타는 동안 열분해 또는 연소에 의해 자극적이고 매우 유독한 가스가 발생될 수 있음

다. 화재 진압 시 착용할 보호구 및 예방조치

- 관계인 외 접근을 막고 위험 지역의 출입을 금지하시오.
- 대규모 화재인 경우 무인방수장치를 활용하며, 여의치 않을 경우 물러나서 타도록 내버려 두시오.
- 물질 자체 또는 연소 생성물의 흡입을 피하시오.
- 소방서에 알리고, 화재 위치와 유해한 특징을 알려주시오.
- 위험 없이 할 수 있다면 용기를 화재지역으로부터 이동시키시오.

6. 누출 사고 시 대처방법

가. 인체를 보호하기 위해 필요한 조치 사항 및 보호구

- 누출된 물질을 만지지 마시오. 작업자가 위험 없이 누출을 중단시킬 수 있으면 중단시키시오.
- 누출지역으로부터 안전한 지역으로 용기를 이동하시오.
- 모든 점화원을 제거하시오
- 밀폐된 공간에 출입하기 전에 환기를 실시하시오.
- 반드시 바람을 등지고 작업하고 바람이 부는 방향으로 대피시키시오.

나. 환경을 보호하기 위해 필요한 조치사항

- 누출량이 많은 경우 119나 환경부, 지방환경관리청, 시·도(환경지도과)에 신고하시오.
- 누출물이 하수시설, 수계에 유입되지 않도록 차단시키시오.
- Avoid dispersal of spilt material and runoff and contact with waterways, drains and sewers. If large spills, advise emergency services.

다. 정화 또는 제거 방법

- 기준량 이상 배출 시 중앙정부, 지방자치단체에 배출 내용을 통지하시오.
- 누출된 물질의 처분을 위해 적당한 용기에 수거하시오.
- 다량누출 : 저지대를 피하고 바람과 반대방향에 있도록 하시오. 누출물질의 처리를 위해 제방을 축조하여 관리하시오.
- 소량 누출 : 모래 또는 다른 비가연성 물질을 사용하여 흡수시키시오.
- 용매를 닦아내시오.

7. 취급 및 저장 방법

가. 안전취급요령

- 공학적 관리 및 개인보호구를 참조하여 작업하시오.
- 모든 안전 주의를 읽고 이해하기 전에는 취급하지 마시오.
- 사용 전에 사용설명서를 입수하시오.
- 용기가 비워진 후에도 제품 찌꺼기(증기, 액체, 고체)가 남아 있을 수 있으므로 모든 MSDS, 라벨 예방조치를 따르시오.
- 장기간 또는 반복적으로 증기를 흡입하지 마시오.

나. 안전한 저장 방법

- 누출여부를 주기적으로 점검하시오.
- 사용하지 않을 시에는 밀폐하여 놓으시오.
- 서늘하고 건조하며 통풍이 잘 되는 장소에 저장하시오.
- 손상된 용기는 사용하지 마시오.
- 용기에 물리적인 충격을 가하지 마시오.

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

○ 국내노출기준

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : TWA : 10 mg/㎥(비결정체 침전된 규소)

○ ACGIH노출기준

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

○ 생물학적 노출기준

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

나. 적절한 공학적 관리

- 가스, 증기, 미스트, 흄 또는 분진이 발산되는 작업장에 대하여는 공기 중에 이들 함유농도가 보건상 유해한 정도를 초과하지 않기를 권장함

다. 개인 보호구

○ 호흡기 보호

- 공기여과식 호흡보호구(유기 화합물용 정화통 및 전면형)
- 미지농도 또는 기타 생명이나 건강에 급박한 위험이 있는 경우 : 송기마스크(복합식 에어라인 마스크), 공기호흡기(전면형)
- 방독마스크(직결식 소형, 유기 화합물용)
- 사용전에 경고 특성을 고려하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 방독마스크를 착용할 것.
- 호흡보호는 최소농도부터 최대농도까지 분류됨.

○ 눈 보호

- 작업장 가까운 곳에 세안설비와 비상세척설비(샤워식)를 설치하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 보안경을 착용할 것.

○ 손 보호

- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 안전 장갑을 착용할 것.

○ 신체 보호

- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 보호복을 착용할 것.

9. 물리화학적 특성

가. 외관	
- 성상	액체
- 색	투명액상
나. 냄새	자료없음
다. 냄새역치	자료없음
라. pH	0
마. 녹는점/어는점	자료없음
바. 초기 끓는점과 끓는점 범위	0℃
사. 인화점	300℃
아. 증발 속도	자료없음
자. 인화성 (고체, 기체)	자료없음
차. 인화 또는 폭발 범위의 상한/하한	자료없음
카. 증기압	자료없음
타. 용해도	자료없음
파. 증기밀도	자료없음
하. 비중	0.9863
거. N-옥탄올/물 분배계수	자료없음
너. 자연발화온도	자료없음
더. 분해온도	자료없음
러. 점도	자료없음
머. 분자량	자료없음

10. 안정성 및 반응성

가. 화학적 안정성 및 유해 반응의 가능성

- 권장된 보관과 취급시 안정함.
- 유해중합반응을 일으키지 않음.

나. 피해야 할 조건

- 혼합금지 물질 및 조건을 피하시오.

다. 피해야 할 물질

- 자료없음

라. 분해시 생성되는 유해물질

- 자료없음

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

○ (호흡기)

- 자료없음

○ (경구)

- 자료없음

○ (눈·피부)

- 눈에 심한 손상을 일으킴
- 알레르기성 피부 반응을 일으킬 수 있음
- 피부에 심한 화상과 눈에 손상을 일으킴

나. 건강 유해성 정보

○ 급성 독성

* 경구 독성

- 제품 (ATEmix) : >5000mg/kg 분류되지 않음 (구분 외)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : LD50 > 5000 mg/kg Rat (OECD TG 401) (ECHA)

- [이산화 규소] : LD50 > 5110 mg/kg Rat (Read-across CAS No. 7631-86-9) (OECD TG 401, GLP) (ECHA)

* 경피 독성

- 제품 (ATEmix) : 2000mg/kg < ATEmix <= 5000mg/kg 분류되지 않음 (구분 외)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : LD50 3650 mg/kg Rabbit (OECD TG 402) (ECHA)

- [이산화 규소] : LD50 > 2000 mg/kg Rat (Read-across CAS No. 7631-86-9) (OECD TG 402, GLP) (ECHA)

* 흡입 독성

- 제품 (ATEmix) : Vapor 20.0mg/L < ATEmix <= 50.0mg/L 분류되지 않음 (구분 외), 증기, 4hr

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : Aerosol LC50 > 5.01 mg/L 4hr Rat (Read-across CAS No. 7631-86-9) (OECD TG 436, GLP) (ECHA)

○ 피부 부식성 또는 자극성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 토끼를 이용한 시험 결과 4시간 노출 시 홍반 점수 2/4, 부종 점수 2.67/4로 명확한 자극이 관찰됨, EU Harmonised Cat 2 (OECD TG 404, GLP) (ECHA)

- [이산화 규소] : 토끼를 이용한 시험 결과 홍반, 부종 점수 모두 0으로 비자극성 (Read-across CAS No. 7631-86-9) (OECD TG 404, ECHA)

○ 심한 눈 손상 또는 자극성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 토끼를 이용한 시험 결과 각막 불투명도 0.78/4, 홍채염 0.5/2, 결막 충혈 1.22/3, 결막 부종 1.22/4로 중간 정도의 자극이 관찰되었으며 7일 후에도 회복되지 않았으나, 가혹한 시험 조건(24시간 후 씻어내지 않음, 8일까지만 관찰)을 감안하면 21일 후에는 자극이 가역적일 것으로 생각되므로 구분2로 분류됨, EU Harmonised Cat. 2 (Fed. Reg. 28 (119), 5582, 1963) (ECHA)

- [이산화 규소] : 토끼를 이용한 시험 결과 노출 1시간 후에 약간의 결막 발적 부종이 관찰되었으나 이 증상은 72시간~7일 후에 완전히 사라졌기 때문에 모든 영향은 물질의 물리적 특성(분진)에서 유발된 것으로 판단됨, 비자극성 (Read-across CAS No. 7631-86-9) (OECD TG 405, ECHA)

○ 호흡기 과민성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

○ 피부 과민성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 기니피그를 이용한 maximisation test 결과 60%의 양성반응이 관찰됨, EU Harmonised Cat. 1 (OECD TG 406) (ECHA)

- [이산화 규소] : 기니피그를 이용한 maximisation test 결과 양성 반응은 관찰되지 않음 (Read-across CAS No. 7631-86-9) (OECD TG 406, GLP) (ECHA)

○ 발암성

* 환경부 화학물질관리법

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* IARC

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : Group 3 (Silica, amorphous)

* OSHA

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* ACGIH

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* NTP

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* EU CLP

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 생식세포 변이원성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : in vivo 마우스를 이용한 적혈구 소핵 시험 결과 음성 (Read-across CAS No. 42978-66-5) (OECD TG 474, GLP), in vitro 박테리아를 이용한 복귀 돌연변이 시험 결과 대사활성계 유무에 관계없이 음성 (OECD TG 471) (ECHA)

- [이산화 규소] : in vivo 랫드를 이용한 골수 염색체 이상 시험 결과 음성 (Read-across CAS No. 7631-86-9) (OECD TG 475), in vivo 랫드를 이용한 DNA 손상/회복 시험 결과 음성 (Read-across CAS No. 7631-86-9), in vivo 랫드를 이용한 체세포 적혈구 소핵 시험 결과 음성 (Read-across CAS No. 7631-86-9) (OECD TG 474), in vitro 박테리아를 이용한 유전자 돌연변이 시험 결과 대사활성계 유무에 관계없이 음성 (Read-across CAS No. 7631-86-9) (OECD TG 471, GLP) (ECHA)

○ 생식독성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 랫드를 이용한 생식/발달독성 스크리닝 시험 결과 통계적으로 유의한 독성 영향은 관찰되지 않음. NOAEL 750 mg/kg/day (OECD TG 422, GLP), 토끼를 이용한 발달독성 시험 결과 전반적인 발달 독성은 관찰되지 않음. NOAEL 450 mg/kg/day (Read-across CAS No. 42978-66-5) (OECD TG 414, GLP) (ECHA)

- [이산화 규소] : 랫드를 이용한 2세대 생식독성 시험 결과 전반적인 생식독성은 관찰되지 않음. NOAEL >= 1000 mg/kg/day (Read-across CAS No. 7631-86-9) (OECD TG 416, GLP), 랫드를 이용한 발달독성 시험 결과 전반적인 발달 독성은 관찰되지 않음. NOAEL 1000 mg/kg/day (Read-across CAS No. 7631-86-9) (OECD TG 414, GLP) (ECHA)

○ 특정 표적장기 독성 (1회 노출)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

○ 특정 표적장기 독성 (반복 노출)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 랫드를 이용한 반복 경구독성 시험 결과 심각한 영향이 관찰되지 않음 NOAEL 250 mg/kg bw/day (OECD TG 422, GLP), 랫드를 이용한 반복 경피독성 시험 결과 피부 자극 및 체중 감소 이외의 독성 영향은 관찰되지 않음. NOAEL 20 mg/kg/day (Read-across CAS No. 42978-66-5) (OECD TG 411) (ECHA)

- [이산화 규소] : 랫드를 이용한 반복 경구독성 시험 결과 심각한 독성 영향은 관찰되지 않음. NOAEL >= 1000 mg/kg/day (Read-across CAS No. 7631-86-9) (OECD TG 407, GLP), 토끼를 이용한 반복 경피독성 시험 결과 심각한 독성 영향은 관

찰되지 않음. NOAEL >= 10000 mg/kg/day (Read-across CAS No. 7631-86-9), 랫드를 이용한 반복 흡입독성 시험 결과 폐에 용량 의존적인 입자 관련 국소 염증이 관찰되었으나 이는 물질특이적이지 않으며 가역적인 반응임이 확인되어 분류되지 않음. NOAEC 500 mg/L (Read-across CAS No. 7631-86-9) (OECD TG 413, GLP) (ECHA)

○ 흡인 유해성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

○ 고용노동부고시

* 발암성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* 생식세포 변이원성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* 생식독성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

12. 환경에 미치는 영향

가. 생태독성

○ 어류

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : LC50 0.38mg/L 96hr Oryzias latipes (OECD TG 203, GLP), NOEC 0.072 mg/L 39 d Oryzias latipes (OECD TG 210, GLP) (ECHA)

- [이산화 규소] : LL0 10000 mg/L 96hr Danio rerio (Read-across CAS No. 7631-86-9) (OECD TG 203, GLP) (ECHA)

○ 갑각류

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : EC50 2.7mg/L 48hr Daphnia magna (OECD TG 202, GLP), NOEC 0.14 mg/L 21d Daphnia magna (OECD TG 211, GLP) (ECHA)

- [이산화 규소] : EL50 > 1000 mg/L 48hr Daphnia magna (Read-across CAS No. 7631-86-9) (OECD TG 202, GLP), NOEC 132.7 mg/L 21d Daphnia magna (Read-across CAS No. 7631-86-9) (OECD TG 211, GLP) (ECHA)

○ 조류

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : EC50 2.33mg/L, NOEC 0.9mg/L 72hr Selenastrum capricornutum (OECD TG 201, GLP) (ECHA)

- [이산화 규소] : EC50 > 173.1 mg/L, NOEC 173.1 mg/L 72hr Desmodesmus subspicatus (Read-across CAS No. 7631-86-9) (OECD TG 201, GLP) (ECHA)

나. 잔류성 및 분해성

○ 잔류성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : log Kow 2.81 (25 °C) (OECD TG 107) (ECHA)

- [이산화 규소] : 자료없음

○ 분해성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]

propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

다. 생물 농축성

○ 생물 농축성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

○ 생분해성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : Readily biodegradable, 60~70 % degradation (CO2 evolution) 28d (OECD TG 310, GLP) (ECHA)

- [이산화 규소] : 자료없음

라. 토양 이동성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

마. 오존층 유해성

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

바. 기타 유해 영향

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 자료없음

- [2-프로펜산 1,6-헥세인다이일] : 자료없음

- [이산화 규소] : 자료없음

13. 폐기 시 주의사항

가. 폐기방법

- 소각 처리할 것.

- 유수분리가 가능한 것은 유수분리방법으로 사전 처리할 것.

- 폐기물의 발생을 최대한 억제하고, 발생한 폐기물을 스스로 재활용함으로써 폐기물의 배출을 최소화할 것.

나. 폐기시 주의사항

- 사업장폐기물을 배출하는 사업자(사업장폐기물배출자)는 사업장에서 발생하는 폐기물을 스스로 처리하거나, 폐기물처리업자, 다른 사람의 폐기물을 재생처리 하는 자, 폐기물 처리시설을 설치 운영하는 자에게 위임하여 처리하여야 함.

- 폐기물관리법상 규정을 준수할 것.

14. 운송에 필요한 정보

가. 유엔번호(IMDG CODE/IATA DGR)

- 해당없음

나. 유엔 적정 선적명

- 해당없음

다. 운송에서의 위험성 등급

- 해당없음

라. 용기등급(IMDG CODE/IATA DGR)

- 해당없음

마. 해양오염물질

- 해당없음

바. 사용자가 운송 또는 운송 수단에 관련해 알 필요가 있거나 필요한 특별한 안전 대책

- 지역 운송 시 위험물안전관리법에 따름.
- DOT 및 기타 규정에 맞게 포장 및 운송.
- 화재 시 비상조치의 종류 : 자료없음
- 유출 시 비상조치의 종류 : 자료없음

15. 법적 규제현황

가. 산업안전보건법에 의한 규제

○ 작업환경측정물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- 해당됨 (0% 이상 함유한 이산화 규소), 광물성분진)

○ 노출기준설정물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- 해당됨 (이산화 규소)

○ 관리대상유해물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

○ 특별관리대상물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

○ 특수건강검진대상물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- 해당됨 (0% 이상 함유한 이산화 규소)

○ 제조등금지물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

○ 허가대상물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

○ PSM대상물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음
- [이산화 규소] : 해당없음

○ 허용기준설정물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음
- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

나. 화학물질의 등록 및 평가 등에 관한 법률

○ 등록유예기간이 없는 화학물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 중점관리물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ CMR(발암성, 생식세포변이원성, 생식독성) 및 CMR 우려 물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 유해성미확인물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

다. 화학물질관리법에 의한 규제

○ 인체등유해성물질

* 인체급성유해성물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]]: 해당없음

- [2-프로펜산 1,6-헥세인다이일]: 해당없음

- [이산화 규소]: 해당없음

* 인체만성유해성물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]]: 해당없음

- [2-프로펜산 1,6-헥세인다이일]: 해당없음

- [이산화 규소]: 해당없음

* 생태유해성물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]]: 해당없음

- 해당없음 (25% 이상 함유한 2-프로펜산 1,6-헥세인다이일)

- [이산화 규소]: 해당없음

○ 배출량조사대상화학물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 사고대비물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 제한물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]

propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 허가물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 금지물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

라. 위험물안전관리법에 의한 규제

- 비위험물

마. 폐기물관리법에 의한 규제

- 본 제품은 사업장에서 발생하는 폐기물 중 폐기물관리법시행령[별표1]에 의해 지정폐기물 외 사업장폐기물에 해당됨.

바. 기타 국내 및 외국법에 의한 규제

○ 잔류성 오염물질 관리법

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ EU 분류 정보

* 확정분류 결과

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : H315,H317,H317,H319

- [이산화 규소] : 해당없음

○ 미국 관리 정보

* OSHA 규정 (29CFR1910.119)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* CERCLA 103 규정 (40CFR302.4)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* EPCRA 302 규정 (40CFR355.30)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* EPCRA 304 규정 (40CFR355.40)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

* EPCRA 313 규정 (40CFR372.65)

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 로테르담 협약 물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 스톡홀름 협약 물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

○ 몬트리올 의정서 물질

- [α-[Dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-ω-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)]] : 해당없음

- [2-프로펜산 1,6-헥세인다이일] : 해당없음

- [이산화 규소] : 해당없음

16. 그 밖의 참고사항

가. 자료의 출처

- 본 MSDS는 산업안전보건법 제 110조 및 고용노동부고시 제2025-50호(화학물질의 분류 • 표시 및 물질안전보건자료에 관한 기준)에 근거하여 국내 관련 규제 법규 현황 등을 고려하여 작성함.

- 본 MSDS는 KOSHA, NITE, ECHA, NLM, SIDS, IPCS, NCIS 등을 근거로 작성하였음.

나. 최초 작성일자

- 2026-01-30

다. 개정횟수 및 최종 개정일자

- 1 회, 2026-01-30

라. 기타

- 이 정보는 근로자 건강, 환경, 안전을 보호하고자, 현재 가용할 수 있는 DB를 근거로 하여 작성하였음.